

DEELIN

Debarking with real speed

A POSCH professional debarking machine turns each log into a neat post at top speed.

For minor tasks or complete fences, the professional top-class debarking machines are precisely the right choice. Peeling and pointing in one work step is no trouble at all. The sturdy design and the high peeling disk quality make sure that you are well-equipped for peeling innumerable logs.



Debarking machine
The post-producing machine



The solution for professionals see page 155

Peeling of posts in no time

Top-class professional debarking machines

- → Peeling disk with a diameter of 50 cm
- → Peeling capacity up to 9 running metres/ minute
- → On request, for posts over 3 metres







Debarking machine

For pointing and peeling posts.

Debarking machine

Timber diameter max. cm	15
Mode of operation	Manual peeling process
Number of knives per peeling disk	4 pcs.
Peeling disk thick- ness	10 mm
Weight min/max. kg	112/172
Transportation	Solid rubber wheels ø 25 cm
Drive	Ø Tractor
Technical details	→ from page 154



SchälProfi

The professional machine for pointing and peeling.

SchälProfi

Debarking maching

Timber diameter max. cm	7-24 cm4-20 cm (smaller screw required)
Mode of operation	Automatic peeling process
Number of knives per peeling disk	4 pcs.
Peeling disk thick- ness	15 mm
Weight min/max. kg	298/384
Transportation	Solid rubber wheels Ø 30 cm
Drive	
Technical details	→ from page 155



Easily debark and sharpen round timber

Turn each log into a post in no time

The machine is convenient and safe to operate, debarks any round timber and prepares it for the required use.

Debarking machine: Considerable upgrade for scrap wood

Safely and quickly debark your logs by guiding them towards the debarking disk via the tilted support.

SchälProfi: now with log saw attachment

Enables debarking and sharpening in one work step. With the debarking machine for professionals, the log only has to be placed on the feeding device, and the debarking process is started automatically. With the infinitely adjustable feed, you can easily adjust the surface quality and so get your desired result more quickly. With a log diameter of 24 cm, the machine achieves 9 running metres per minute. The gripping device, the built-in ejector fan for discharging the chips produced and the optional guide for logs that are more than 3 metres long make peeling as easy as possible.



NEW: split posts in two easily with our log saw attachment.

Debarking machine

peels and points posts with ease.

- → Timber diameter max. 15 cm
- → Mode of operation manual peeling process
- → Number of knives per peeling disk 4 pcs.
- → Peeling disk thickness 10 mm
- → **Transportation** Solid rubber wheels Ø 25 cm
- → Inclined support and peeling disk protection



Debarking maching

Debarking machine

For pointing and peeling posts.

Article no.	Туре	Drive	Weight kg
M1371E	E5,5 @	5.5 kW e-motor 400V, S6, CEE 16A, two-groove V-belt drive, driveable on two solid rubber wheels Ø 25 cm	~ 134
M1373E	E5,5D [€]	5-5 kW special motor 400V, S6, CEE 16A, debarking disk installed directly on engine shaft, drivable on two solid rubber wheels ø 25 cm	~ 112
M1372E	z 0	Tractor PTO shaft, power consumption 7.5 kW, recommended PTO speed 540 rpm, three-grove V-belt drive	~ 150
M1374E	Z-E5,5 0 0	Tractor PTO shaft 5.5 kW e-motor 400V, S6, CEE 16A	~ 172

Accessory equipment Debarking maching

Article no.	Name	
Z2000635	Walterscheid W-Line universal shaft	
Z1201720	Knife (1 pc.) for peeling disk, tempered and sharpened	
F0001434	Complete knife set (1 set = 4 pcs.)	
A104	Re-sharpening of one set of knives (4 pcs.)	

- Debarking maching: Tractor drive: universal joint shaft required, three-point linkage cat. I
- E-drive: Motor circuit breaker, zero-voltage release and brake mechanism





SchälProfi

The professional machine for pointing and peeling.

- → Timber diameter 7–24 cm, optional: 4–20 cm (F2007733)
- → Mode of operation automatic peeling process
- → Number of knives per peeling disk 4 pcs.
- → Peeling disk thickness 15 mm
- → **Transportation** Solid rubber wheels Ø 30 cm
- → average Peeling capacity 7-9 running metres per minute with a log diameter of 10-15 cm
- → Pivoting stop of the pointing device
- → Steplessly adjustable feed
- → Built-in ejector fan for discharging the chips



Peeler & Schäl Profi

SchälProfi

Automatically triggers the neat peeling process.		! Special		
Article no.	Туре	Drive	Weight kg	
M1410E	z€	Tractor PTO shaft, power consumption 15 kW, max. 700 rpm	~ 300	
M1400E	E11 0	11 kW e-motor 400V, S6, CEE 32A	~ 298	
M1420E	ZE11 90	• Tractor PTO shaft • 11 kW e-motor 400V, S6, CEE 32A	~ 384	

Special equipment SchälProfi

Article no.	Name	Weight kg
К	Log saw attachment for SchälProfi, for Z/ZE drive	~ 180

Large range of accessory equipment for SchälProfi on page 156.

- Tractor drive: universal joint shaft required, three-point linkage cat I + II
- E-drive: with motor circuit breaker, phase inverter, no-volt release and brake device

Watch the SchälProfis in action at: www.youtube.com/ poschpower

NEW when ordering a new machine or as a retrofit kit




Use our log saw attachment to cut logs in half when needed.



Accessory equipment SchälProfi

Article no.	Name
F0001584	Support table to cover the auger making sure particularly crooked logs can be turned manually (e.g. acacia)
F0001566	Discharge extension 35 cm
F0001567	Discharge extension 50 cm
F0001360	Three-point linkage for the transportation of machines with E-drive
Z1201700	Spare knife (1 pc.) for debarking disk (4 pcs. required!)
F0001435	Set of knives, complete (1 set = 4 pcs.)
Z2000653	Walterscheid W-Line universal shaft
F0001339	Timber support for easy handling of long logs (over 3 m) with tilting mechanism (for E- and ZE-drive)
F0001574	Timber support for easy handling of long logs (over 3 m) with tilting mechanism (for Z-drive)
A112	Re-sharpening of one set of knives (4 pcs.)
F2007733	Screw Ø 8 x 12 cm, lead 10 mm (gold-silver), for timber Ø smaller than 7 cm
F2007588	Screw Ø 8 x 12 cm, lead 12 mm (gold-silver), as standard
F0001806	Hour counter for machines with PTO drive, includes rpm display
Z1300031	Log saw blade Ø 50 cm, 32 (36) teeth, WIDIA, also suited for firewood cutting
F0004627	Retrofittable log saw attachment, for Z and ZE machines, for machines from model year 2021
F0004652	Retrofittable log saw attachment, for Z and ZE machines, for machines prior to model year 2021

The log saw attachment for our SchälProfi



Perfect to debark, sharpen and cut fence posts – many applications from a single device.

One machine – many possibilities



The SchälProfi itself debarks and sharpens pieces of lumber. Our log saw attachment cuts them in half when needed.